Ref	Hits	Search Query	DBs	Default	Plurals	Time Stamp
# L2	53	"713"/\$.ccls. and (backup or back-up) same (data or information or file) same key same (hash or (MAC or (message adj authentication adj code)) or SHA or (message adj digests) or fingerprints or (cryptographic adj checksums) or ((data adj authentication adj codes) or DAC))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	Operator OR	ON	2007/04/06 16:07
L3	38	I2 and (first with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 15:16
L4	26	I3 and ((transmit\$4 or send\$3 or transfer\$4 or stor\$4) with (backup or back-up) same key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 15:16
L5	17	I3 and ((transmit\$4 or send\$3 or transfer\$4 or stor\$4) with (backup or back-up) same key same (peer or p2p or network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 14:15
L6	5835620	I5 and (backup or back-up) (data or information or file) key (hash or (MAC or (message adj authentication adj code)) or SHA or (message adj digests) or fingerprints or (cryptographic adj checksums) or ((data adj authentication adj codes) or DAC))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 14:18
L7	17	I5 and (backup or back-up) and (data or information or file) and key and (hash or (MAC or (message adj authentication adj code)) or SHA or (message adj digests) or fingerprints or (cryptographic adj checksums) or ((data adj authentication adj codes) or DAC))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/04/06 14:18
L8	26	I4 and (backup or back-up) and (data or information or file) and key and (hash or (MAC or (message adj authentication adj code)) or SHA or (message adj digests) or fingerprints or (cryptographic adj checksums) or ((data adj authentication adj codes) or DAC))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 15:06
L9	0	("2004/0236958").URPN.	USPAT	AND	ON	2007/04/06 15:03

		`	i ilistoi y			
L10	2	"20040199779"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 15:07
L11	2	"20040103288"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 15:13
L12	2	"6005942".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 15:14
L13	` 2	"20030212894"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 15:14
L14	2	"20040123113"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 15:14
L15	38	I3 and (backup or back-up) and (data or information or file) and key and (hash or (MAC or (message adj authentication adj code)) or SHA or (message adj digests) or fingerprints or (cryptographic adj checksums) or ((data adj authentication adj codes) or DAC))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 15:17
L16	274	"713"/\$.ccls. and ((backup or back-up) same (data or information or file) same key) and (hash or (MAC or (message adj authentication adj code)) or SHA or (message adj digests) or fingerprints or (cryptographic adj checksums) or ((data adj authentication adj codes) or DAC))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 15:36
L17	80	I16 and ((hash or (MAC or (message adj authentication adj code)) or SHA or (message adj digests) or fingerprints or (cryptographic adj checksums) or ((data adj authentication adj codes) or DAC) or valid\$3 or acknowled\$6) same (data or information or file or signal) same (backup or back-up) same key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/04/06 15:41

		·				
L18	76	I17 and ((stor\$4 or transmit\$4 or transfer\$4 or send\$4) same (backup or back-up) same key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/04/06 15:48
L19	49	I18 and ((compar\$4 or determin\$4 or check\$4) same (backup or back-up) same (data or information or file or signal) same (hash or (MAC or (message adj authentication adj code)) or SHA or (message adj digests) or fingerprints or (cryptographic adj checksums) or ((data adj authentication adj codes) or DAC) or valid\$4 or authentic\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 16:00
L20	18	I19 and ((backup or back-up) with (hash or (MAC or (message adj authentication adj code)) or SHA or (message adj digests) or fingerprints or (cryptographic adj checksums) or ((data adj authentication adj codes) or DAC) or valid\$4 or authentic\$4) with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 15:57
L21	18	I20 and ((backup or back-up) and (hash or (MAC or (message adj authentication adj code)) or SHA or (message adj digests) or fingerprints or (cryptographic adj checksums) or ((data adj authentication adj codes) or DAC) or valid\$4 or authentic\$4) and key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 15:58
L22	76	I18 and ((compar\$4 or determin\$4 or check\$4) and (backup or back-up) and (data or information or file or signal) and (hash or (MAC or (message adj authentication adj code)) or SHA or (message adj digests) or fingerprints or (cryptographic adj checksums) or ((data adj authentication adj codes) or DAC) or valid\$4 or authentic\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 16:00
L23	49	I19 and ((compar\$4 or determin\$4 or check\$4) and (backup or back-up) and (data or information or file or signal) and (hash or (MAC or (message adj authentication adj code)) or SHA or (message adj digests) or fingerprints or (cryptographic adj checksums) or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 16:01
		((data adj authentication adj codes) or DAC) or valid\$4 or authentic\$4))				

			-			
L24	133	((backup or back-up) same (data or information or file) same key same (hash or (MAC or (message adj authentication adj code)) or SHA or (message adj digests) or fingerprints or (cryptographic adj checksums) or ((data adj authentication adj codes) or DAC)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/04/06 16:11
L25	37	I24 and ((stor\$4 or transmit\$4 or transfer\$4 or send\$4) with (back-up or backup) with (data or file or information) with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 16:58
L26	25	("5008936" "5123047" "5126739" "5133065" "5163148" "5175766" "5193154" "5276867" "5301286" "5386545" "5414850" "5446888" "5448718" "5479654" "5495607" "5515502" "5537533" "5537585" "5546534" "5548750" "5559991" "5596706" "5615364" "5642505" "5664186").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/04/06 16:28
L27	8	("5559991" "5778395" "6611923" "6625625").PN. OR ("6865655"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/04/06 16:50
L28	76	I24 and ((stor\$4 or transmit\$4 or transfer\$4 or send\$4) with (back-up or backup) with (data or file or information) same key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 17:19
L29	2	"20030074569"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 17:35
L30	6	713/169-191.ccls. and ((backup or backup) with key with (hash or (message or MAC) or MD5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 17:44
L31	64	713/169-191.ccls. and ((backup or backup) same key same (hash or (message or MAC) or MD5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 17:51
L32	16	l31 and (stor\$4 same (backup or bāck-up) same key sāme hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/04/06 17:48

L33	1	713/169-191.ccls. and ((backup or backup) near4 key near4 (hash or (message or MAC) or MD5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 17:51
L34	7	((backup or backup) near4 key near4 (hash or (message or MAC) or MD5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 17:52
L35	12	((backup or backup) near5 key near5 (hash or (message or MAC) or MD5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 17:52
S1	83	key ((backup or back-up) adj (data or file or information)) ((peer or network) near3 key) ((authentic or valid or secur\$3) near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/06 13:25
S2	93	key ((backup or back-up) adj (data or file or information)) ((peer or network) near3 key) ((authentic or valid or secur\$3) near3 (data or file or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/04 16:17
S3	71	S2 (first near4 (data or file or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/04 16:19
S4	27	S3 (first near4 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/04 16:19
S5	94	key ((backup or back-up) adj (data or file or information)) ((peer or network) near3 key) ((authentic or valid or secur\$3) near3 (data or file or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/05 15:58
S6	72	S5 (first near4 (data or file or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/06 11:23

S7	0	(first near3 key) (backup near3 vlidity near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/06 11:24
S8	1	(first near3 key) (backup near3 validity near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/06 11:24
S9	536	(first near3 key) (backup near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/06 11:25
S10	114	S9 (backup near3 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/06 11:25
S11	0	S10 (stor near3 backup)	US-PGPUB; USPAT; USOCR; . EPO; JPO; DERWENT; IBM_TDB	AND .	ON	2006/10/06 11:26
S12	64	S10 (stor\$3 near3 backup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/06 11:26
S13	1437153	S12 (validity or secur\$4 or encrypt\$3) key or (network or peer or server or repository)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/06 11:29
S14	58	S12 (validity or secur\$4 or encrypt\$3) key (network or peer or server or repository)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/06 11:32

S15	58	S12 (validity or secur\$4 or encrypt\$3) key (network or peer or server or repository) backup	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/10 11:32
S16	1	DATA BACKUP USING ENCRYPTION AND STEGANOGRAPHY.TI.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/06 12:04
S17	538	(first near3 key) (backup near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/10 11:55
S18	. 115	S17 (backup near3 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/10 11:32
S19	65	S18 (stor\$3 near3 backup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/10 11:32
S20	59	S19 (validity or secur\$4 or encrypt\$3) key (network or peer or server or repository) backup	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/10 11:32
S21 ·	1	S20 (penalti or penaliz\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/10 11:54
S22	1	S18 (penalti or penaliz\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO;	AND	ON	2006/10/10 11:55
. T			DERWENT; IBM_TDB			

S23	538	S17 (first near3 key) (backup near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/10 11:55
S24	1	S17 (penalti or penaliz\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON .	2006/10/10 11:56
S25	50	S17 (((valid or decrypt) near3 time\$3) network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/10 12:32
S26	2	"20040260927"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/10 12:33